Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	178	(modif\$4 chang\$4 convert\$4) with program with (permit\$4 allow\$4) with execut\$4 with processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 15:48
S2	35	S1 and critical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 15:34
<b>S3</b>	1	compiler with (generat\$4 build\$4 ) with ( header adj file) with (intermediate adj file (intermediate)) same execut\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 15:37
S4	1	(generat\$4 build\$4 ) with ( header adj file) with (intermediate adj file (intermediate)) same execut\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 15:38
S5	8	(generat\$4 build\$4 ) with ( header adj file) with (intermediate adj file (intermediate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 15:39
S6	14	compiler with ( header adj file) with (intermediate adj file (intermediate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/10/24 15:40
S7	17	compiler same ( header adj file) with (intermediate adj file (intermediate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 15:43
S8	3	S7 not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 15:40

S9	33	compiler same ( header adj file) same (intermediate adj file (intermediate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 15:43
S10	16	S9 not S8 not S7 not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 15:43
S13	. 31	(identif\$4 discover\$4 determin\$4) with code with (long\$4 execess\$4) with time with execut\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 15:57
S15	7	code with (length with time with execut\$4) same compil\$44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 15:58
S16	7	code with (length with time with execut\$4) same compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 16:23
S17	19	code same (length with time with execut\$4) same compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 16:23
S18	12	S17 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 17:20
S19	16	(critical near4 code) with function same compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 17:35

S20	319	(identif\$4 detect\$4 determin\$4 discover\$4) with (critical near4 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/24 17:36
S25	64	(replac\$4 substitut\$4) with critical with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON 	2006/10/24 18:21
S30	3	(critical adj code) with (time with execution) with process	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 12:23
S31	3	(critical adj code) with (time with execution) with processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 12:25
S32	38	(rewrit\$4 edit\$4 modif\$4 chang\$4 transform\$4) with (critical adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 12:47
S33		(critical adj code) with (length near3 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/02/26 12:48
S34	1	(critical adj code) same (length near3 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 12:48
S35	1	(critical adj code) same (length with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 12:48

S36	35	(critical adj code) and (length with time)	US-PGPUB; USPAT;	OR	ON	2007/02/26 12:50
		time)	USOCR; EPO; JPO; DERWENT; IBM_TDB			
S37	2	(critical adj code) with (allow\$4 with execut\$4 with processor)	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2007/02/26 12:51
			DERWENT; IBM_TDB		•	
S38	8	(hardware adj description adj language) with compil\$4 with header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 15:15
S39	. 15	(hardware adj description adj language) same compil\$4 same header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 15:15
S40	7	S39 not S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 15:18
S42	31	(generat\$4 creat\$4 build\$4) with (header adj file) with ((hardware ajd description adj language) (verilog adj hdl))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 15:23
S44	. 17	((hardware ajd description adj language) with (verilog adj hdl) (vhdl)) same compil\$4 same (header adj file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 15:27
S46	297	((hardware ajd description adj language) with (verilog adj hdl) (vhdl)) same (intermediate header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/02/26 15:27

S47	100	((hardware ajd description adj language) with (verilog adj hdl) (vhdl)) same (intermediate header) and critical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 15:46
S48	7	( (verilog adj hdl) (vhdl)) same (intermediate header) and ((critical adj code) (critical adj segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 15:48